

Prima 普尔玛

CATALOGUE

目录册

Prima

Our company is a professional provider of a full range of repair products and accessories related to car tires. We have a sales center to serve customers worldwide in Kunshan, China. China factories are manufacturers of balance weights, valves, tools, and related accessories. The Yancheng factory inChina mainly serves the global after-sales market. The Xuancheng factory in China is a secondary supporting service for OEMs such as BMW, Mercedes Benz, BYD, Chery, and Great Wall Motors.

我司是专业的汽车轮胎相关的全系维修产品及配件的提供商,在中国昆山设有销售中心以服务于全球的客户。中国的工厂是气门嘴,平衡块,工具及相关配件的制造商。中国盐城工厂主要服务全球售后市场。中国宣城工厂是二级配套服务宝马，奔驰，比亚迪，奇瑞，长城等汽车制造商。



Safety of Employees:
员工安全
Safety of Customers:
客户安全
Respect of Environment:
尊重环境
Accountability of Employees:
员工义务



Product:100%meet customers'requirement
产品：100%满足客户要求
Service:Meet requirement both ext.and int.
服务：满足内外部客户要求
Work:Deal with the root cause,Be demanding, Strive for excellence
工作：解决根本问题；保持高要求；追求卓越



Apply the lean principles
遵行精益工作准则
Work Process:PDCA or DMAIC
工作流程：计划-执行-纠正-行动 或
定义-测量-分析-改进-控制
Continuous improvement with simple and low cost solutions
简单化及低成本的持续改进
Respect the people 对人的尊重



Product Innovation:
产品创新
Process Innovation:
工艺创新
Management Innovation:
管理创新
Business Innovation:
业务创新



平衡块、气门嘴及配件
Balancing, Valves and Accessories

平衡块/Wheels balancing ---------- 1-7

轿车及轻卡气门嘴/Valves for cars and light trucks ---------- 8

卡车及巴士/Valves for trucks and buses ---------- 9-10


延长阀/Extension for trucks and buss ---------- 11

配件/Accessories ---------- 12-13

补片用压辊 / Stitcher for patches application ---------- 14

工具/Tools ----------15-16








Prima reserves the right to modify this catalogue and/or products contained therein without prior notice
普尔玛保留在未另行通知的前提下对目录及产品进行调整的权利
The technical drawings and photos do not represent a real scale of the products products presented,the pictures are merely illustrative.
技术图纸及图片不代表量产产品，图片只是说明性的

平衡块
Wheel weight

粘贴式平衡块
Adhesive weight

Item	Total	G	包装 packaging
373-1	60/5000/6000	5*12/5*1000/5*1200	100/5*1000/5*1200
374-1	60	4*(5+10)	100
373-1-C	60/5000/6000	5*12/5*1000/5*1200	100/5*1000/5*1200
374-1-C	60	4*(5+10)	100
373-1-B	60/5000/6000	5*12/5*1000/5*1200	100/5*1000/5*1200
374-1-B	60	4*(5+10)	100
如需其它规格,请联系我们 Contact us for other "sizes"			

Size:3.0×19mm






Prima


平衡块
Wheel weight

粘贴式平衡块
Adhesive weight

Item	Total	G	包装 packaging
385	60/5000/6000	5*12/5*1000/5*1200	100/5*1000/5*1200
386	60	4*(5+10)	100
385-C	60/5000/6000	5*12/5*1000/5*1200	100/5*1000/5*1200
386-C	60	4*(5+10)	100
385-B	60/5000/6000	5*12/5*1000/5*1200	100/5*1000/5*1200
376-B	60	4*(5+10)	100
如需其它规格,请联系我们 Contact us for other "sizes"			

Size:3.0×19mm





Prima


平衡块
Wheel weight

粘贴式平衡块
Adhesive weight

Item	Total	Oz	包装 packaging
361-C	3/176.25/212	0.25*12/0.25*705/0.25*848	48/0.25*705/0.25*8
364-C	4/175/212	0.5*8/0.5*350/0.5*424	4836/0.5*350/0.5*424
368-C	4	1*4	36
361-B	3/176.25/212	0.25*12/0.25*705/0.25*848	48/0.25*705/0.25*8
364-B	4/175/212	0.5*8/0.5*350/0.5*424	4836/0.5*350/0.5*424
368-B	4	1*4	36
如需其它规格,请联系我们 Contact us for other "sizes"			

Size:7.5×26mm
Size:5.0×21mm
Size:4.0×22mm





Prima


平衡块
Wheel weight

粘贴式平衡块
Adhesive weight

Item	Total	G	包装 packaging
395	85/5000/6000	7*12/7*705/7*848	48/7*705/7*848
396	85/5000/6000	14*6/14*350/14*424	48/14*350/14*424
397	85	28*3	30
395-C	85/5000/6000	7*12/7*705/7*848	48/7*705/7*848
396-C	60/5000/6000	14*6/14*350/14*424	48/14*350/14*424
397-C	85	28*3	30
395-B	85/5000/6000	7*12/7*705/7*848	48/7*705/7*848
396-B	85/5000/6000	14*6/14*350/14*424	48/14*350/14*424
397-B	85	28*3	30

如需其它规格,请联系我们
Contact us for other "sizes"

Size:4.0×19mm






Prima

平衡块
Wheel weight

挂钩式平衡块-锌质
Built-in Spring weights-Zinc



Item	G（克重）	OZ	包装 packaging
ZN03-05	5	0.18	100
ZN03-10	10	0.35	100
ZN03-15	15	0.53	100
ZN03-20	20	0.71	100
ZN03-25	25	0.88	100
ZN03-30	30	1.06	100
ZN03-35	35	1.24	50
ZN03-40	40	1.41	50
ZN03-45	45	1.59	50
ZN03-50	50	1.77	50
ZN03-55	55	1.94	50
ZN03-60	60	2.12	50



Item	G（克重）	OZ	包装 packaging
ZN10-05	5	0.18	100
ZN10-10	10	0.35	100
ZN10-15	15	0.53	100
ZN10-20	20	0.71	100
ZN10-25	25	0.88	100
ZN10-30	30	1.06	100
ZN10-35	35	1.24	50
ZN10-40	40	1.41	50
ZN10-45	45	1.59	50
ZN10-50	50	1.77	50
ZN10-55	55	1.94	50
ZN10-60	60	2.12	50

Prima

平衡块
Wheel weight

挂钩式平衡块-钢质
Built-in Spring weights-Steel



Fe

Item	Model	G (克重)	OZ	包装 packaging
P61101	PFEA-05	5	0.18	100
P61102	PFEA-10	10	0.35	100
P61103	PFEA-15	15	0.53	100
P61104	PFEA-20	20	0.71	100
P61105	PFEA-25	25	0.88	100
P61106	PFEA-30	30	1.06	50
P61107	PFEA-35	35	1.24	50
P61108	PFEA-40	40	1.41	50
P61109	PFEA-45	45	1.59	50
P61110	PFEA-50	50	1.77	50
P61111	PFEA-55	55	1.94	50
P61112	PFEA-60	60	2.12	50

For steel wheel



Fe

Item	Model	G (克重)	OZ	包装 packaging
P61201	FNFEA-05	5	0.18	100
P61202	FNFEA-10	10	0.35	100
P61203	FNFEA-15	15	0.53	100
P61204	FNFEA-20	20	0.71	100
P61205	FNFEA-25	25	0.88	100
P61206	FNFEA-30	30	1.06	50
P61207	FNFEA-35	35	1.24	50
P61208	FNFEA-40	40	1.41	50
P61209	FNFEA-45	45	1.59	50
P61210	FNFEA-50	50	1.77	50
P61211	FNFEA-55	55	1.94	50
P61212	FNFEA-60	60	2.12	50

For Alloy wheel



Fe

Item	Model	G (克重)	OZ	包装 packaging
P61301	ENFEA-05	5	0.18	100
P61302	ENFEA-10	10	0.35	100
P61303	ENFEA-15	15	0.53	100
P61304	ENFEA-20	20	0.71	100
P61305	ENFEA-25	25	0.88	100
P61306	ENFEA-30	30	1.06	50
P61307	ENFEA-35	35	1.24	50
P61308	ENFEA-40	40	1.41	50
P61309	ENFEA-45	45	1.59	50
P61310	ENFEA-50	50	1.77	50
P61311	ENFEA-55	55	1.94	50
P61312	ENFEA-60	60	2.12	50

For Alloy wheel

Prima

平衡块
Wheel weight

挂钩式平衡块-钢质
Built-in Spring weights-Steel



Fe

Item	Model	G (克重)	OZ	包装 packaging
P61401	IAWFEA-05	5	0.18	100
P61402	IAWFEA-10	10	0.35	100
P61403	IAWFEA-15	15	0.53	100
P61404	IAWFEA-20	20	0.71	100
P61405	IAWFEA-25	25	0.88	100
P61406	IAWFEA-30	30	1.06	50
P61407	IAWFEA-35	35	1.24	50
P61408	IAWFEA-40	40	1.41	50
P61409	IAWFEA-45	45	1.59	50
P61410	IAWFEA-50	50	1.77	50
P61411	IAWFEA-55	55	1.94	50
P61412	IAWFEA-60	60	2.12	50

For steel wheel



Fe

Item	Model	G (克重)	OZ	包装 packaging
P61501	AWFEA-05	5	0.18	100
P61502	AWFEA-10	10	0.35	100
P61503	AWFEA-15	15	0.53	100
P61504	AWFEA-20	20	0.71	100
P61505	AWFEA-25	25	0.88	100
P61506	AWFEA-30	30	1.06	50
P61507	AWFEA-35	35	1.24	50
P61508	AWFEA-40	40	1.41	50
P61509	AWFEA-45	45	1.59	50
P61510	AWFEA-50	50	1.77	50
P61511	AWFEA-55	55	1.94	50
P61512	AWFEA-60	60	2.12	50

For Alloy wheel



Fe

Item	Model	G (克重)	OZ	包装 packaging
P61601	MCFEA-05	5	0.18	100
P61602	MCFEA-10	10	0.35	100
P61603	MCFEA-15	15	0.53	100
P61604	MCFEA-20	20	0.71	100
P61605	MCFEA-25	25	0.88	100
P61606	MCFEA-30	30	1.06	50
P61607	MCFEA-35	35	1.24	50
P61608	MCFEA-40	40	1.41	50
P61609	MCFEA-45	45	1.59	50
P61610	MCFEA-50	50	1.77	50
P61611	MCFEA-55	55	1.94	50
P61612	MCFEA-60	60	2.12	50


For Alloy wheel

Prima

轿车及轻卡气门嘴
Valves for cars and light trucks

无内胎气门嘴
Tubeless tire valves

		包装 packaging
TR413C	桥车42,7mm-用于孔径11,5mm Cars 42,7mm-for 11,5mm hole	Cx10
TR414C	桥车49,1mm-用于孔径11,5mm Cars 49,1mm-for 11,5mm hole	Cx10
TR414L	桥车56,5mm-用于孔径11,5mm Cars 56,5mm-for 11,5mm hole	Cx10
TR418C	桥车61,8mm-用于孔径11,5mm Cars 61,8mm-for 11,5mm hole	Cx10
TR415C	桥车12,7mm-用于孔径16,5mm Cars 42,7mm-for 16,5mm hole	Cx10
TR425C	桥车61,5mm-用于孔径16,5mm Cars 61,5mm-for 16,5mm hole	Cx10
TR600HP	高性能42mm-用于孔径11,5mm High performance 42mm-for 11,5mm hole	Cx10
TR4042-G	长36mm-用于孔径11,5mm直-高性能 Length 36,5mm-for 11,5mm hole-Straight-High performance	Cx10
TR4298-2	高性能42mm-用于孔径11,5mm High performance 42mm-for 11,5mm hole	Cx10
TR42039	长42mm 用于孔径11,5mm直-高性能（TR416） Length 42mm-for 11,5mm hole-Straight-High performance	Cx10



1 2 3 4 5 6 7 8 9

铜套气门嘴
Specials

		包装 packaging
1 TR413CL	桥车42，7mm /Cars 42,7mm	Cx100
2 TR414CL	桥车49，1mm /Cars 49,1mm	Cx100
3 TR418CL	桥车61，8mm /Cars 61,8mm	Cx100


1 2 3

Prima

卡车及巴士气门嘴
Valves for trucks and buses

内胎
Tube Tires

		包装 packaging
1 TR7823R	卡车及巴士-长74mm (TR 75A) Trucks and buses-length 74mm,with rubber base and vulcanite	Cx10
2 TR7793R	卡车及巴士-长129mm (TR 78A) Trucks and buses-length 129mm,with rubber base and vulcanite	Cx10
3 TR1396R	卡车及巴士-长144mm (TR 179A) Trucks and buses-length 144mm,with rubber base and vulcanite	Cx10


1


2


3

内胎-通用型
Tube tire - Universal

		包装 packaging
1 TR9301-223	通用螺口式气门嘴 - 长94.5mm 角度95 Universal-length 94.5mm - 95° (SC-95)	Cx10
2 TR9302-223	通用螺口式气门嘴 - 长115.5mm 角度94 Universal - length 115.5mm - 94° (V3.02.10)	Cx10
3 TR9309-223	通用螺口式气门嘴 - 长99.5mm 角度94 Universal - length 99.5mm - 94° (V3.02.9)	Cx10
4 TR9332-223	通用螺口式气门嘴 - 长140mm 两折角度99及 171 Universal - (99° and 171°)- length 140mm (V3.04.26)	Cx10
5 TR9341-223	通用螺口式气门嘴 - 三折角度90及两个139 Universal - (90° and 139°) - (V3.06.5) - TC 131	Cx10
6 TR28018D	橡胶垫 Rubber seal for universal valve	Cx200
7 TR31949D	橡胶嘴座 Rubber base for universal valve	Cx10


1


2


3


4


5


6


7

Prima

卡车及巴士气门嘴
Valves for trucks and buses

内胎 - 螺口式
Tube Tires - Screw-on

		包装 packaging
1 TR9471A-1	螺口式气门嘴 - 长127mm 角度 86 Length 127mm-86°	Cx10
2 TR3643R	橡胶嘴座 - SP-1000 Rubber base for screw-on valve (SP-1000)	Cx10



1



2

无内胎
Tubeless tries

		包装 packaging
1 TR543C-353	长58.7mm，用于9.7mm轮辋孔 Length 58.7mm - for 9.7mm hole - 45° aluminum wheels	Cx10
2 TR572-225	长95.3mm，用于15.9mm轮辋孔 - 直杆 TR572 Length 95.3mm - for 15.9mm hole - straight (TR572)	Cx10
3 TR572F-19	长95.3mm，用于15.9mm轮辋孔 - 31°弯杆 TR572 Length 95.3mm - for 15.9mm hole - 31° (TR572)	Cx10
4 TR573-225	长111mm，用于15.9mm轮辋孔 - 直杆 TR573 Length 111mm - for 15.9mm hole - straight (TR573)	Cx10
5 TR573-E24-258	长111mm，用于15.9mm轮辋孔 - 26°弯杆 TR573 Length 111mm - for 15.9mm hole - 26° (TR573)	Cx10
6 TR34561-313	长60mm，用于9.7mm轮辋孔 - 27°弯杆 V3-20-4 Length 60mm-for 9.7mm hole-27°	Cx10
7 TR34562-313	长85mm，用于9.7mm轮辋孔 - 27°弯杆 V3-20-6 Length 85mm - for 9.7mm hole - 27° (V3-20-6)	Cx10

如需其它规格/不同的长度/不同的弯角，请联系我们
Contact us for other "sizes" /Valve lengths/angles of bending.




1 2 3 4 5 6 7

Prima

延长阀
Extensions for trucks and buses

金属硬质延长阀
Rigid extensions

		包装 packaging
1 TR7381	长77.8mm金属延长阀 Rigid 77.8mm for trucks and buses	Cx10
2 TR7382	长128.6mm金属延长阀 Rigid 128.6mm for trucks and buses	Cx10
3 TR4430	长105.2mm金属延长阀 Rigid 105.2mm for trucks and buses	Cx10
4 TR6358	长35.7mm金属延长阀 Rigid 35,7mm for truchs and buses	Cx10
5 TR7383	长154mm金属延长阀 Rigid 154mm for truchs and buses	Cx10



橡胶延长阀
Flexible extension

		包装 packaging
1 TR9982C	长210mm橡胶延长阀 Flexible extension - length 210mm	Cx50
2 TR9982C-270	长270mm橡胶延长阀 Flexible extension-length 270mm	Cx50



1



2

Prima

配件
Accessories

延长阀支架
Support for extensions

		包装 packaging
1 TR34219	双支架 Double Support	Cx10
2 TR34218C	单支架 Single Support	Cx30



1



2

气芯
Cores for valves

		包装 packaging
1 TR1566T	自行车用气芯 Short core for bikes (from 15 to 150psi)	Cx100
2 TR8500TV	摩托车用气芯 Short core for motorcycles (from 0 to 200psi)	Cx200
3 TR5405S	机动车通用短气芯 Short core for cars, buses, trucks, tractors and motorcycles (from 0 to 200psi)	Cx100
4 TR6231C	大型腔气芯 Jumbo core (from 0 to 200psi)	Cx100
5 TR09914C	高压气芯 Core for high pressure (from 0 to 2000psi)	Cx100



1



2



3



4



5

Prima

配件
Accessories

阀帽
Caps for valves

		包装 packaging
1 TR9910	尼龙塑料帽 Plastic cap（black and green）-nylon（de 0 a 200psi）	Cx100
2 TR660F	Pe塑料帽 Plastic cap (Black, red, and yellow) - Polyethylene (from 0 to 80psi)	Cx100
3 TR8600-2	金属钥匙帽 Metallic cap with cleft- nikel plated	Cx400
4 TR7572S	金属帽 Metallic cap without cleft- nikel plated	Cx400
5 TR5998J	六角金属帽 Hex Metallic cap - nikel plated	Cx250
6 TR1450C	大型腔金属钥匙帽 Jumbo Metallic cap with cleft - nikel plated	Cx50
7 TR4659C	大型腔六角金属帽 Jumbo hex metallic cap - brass	Cx50


1


2


3


4


5


6


7

Prima

补片用压辊
Stitcher for patches application

		包装 packaging
TR15201006	压辊 - 6mm Stitcher - 6mm	5 pcs
TR15201008	压辊 - 8mm Stitcher - 8mm	5 pcs
TR15201010	压辊 - 10mm Stitcher - 10mm	5 pcs
TR15201012	压辊 - 12mm Stitcher - 12mm	5 pcs
TR15201050	压辊 - 50mm Stitcher - 50mm	5 pcs



Prima

工具
Tools

工具及附件
Tools and accessories

		包装 packaging
1 TR992C	无内胎橡胶气门嘴安装工具 Snap-in inserting and removing tool - tubeless tire	Cx5
2 TR2688C	气芯起子 Valve core screwdriver	Cx30
3 TR3522C	4合1工具 Four way valve repair tool 4*1	Cx50
4 TR2661	大型腔气门嘴起子 Jumbo valve screwdriver	Cx5
5 TR1623C	大型腔4合1工具 Four way valve repair tool 4*1 - Jumbo	Cx5




1



2



3



4



5

Prima

工具
Tools

		包装 packaging
PHG-001A	平衡钳 Weight Plier	1pcs
PHG-001B	平衡钳 Weight Plier	1pcs
PHG-002A	粘贴平衡块去除工具 Adhesive weight removal tool	1pcs
PHG-002B	粘贴平衡块去除工具 Adhesive weight removal tool	1pcs
PHG-003A	裁切机 Reel Weights Cutting Tool	1pcs
PHG-003B	裁切机支架 Rack For Reel Weights Cutter	1pcs




PHG-001A



PHG-001B

PHG-002B




PHG-002A



PHG-003B

Prima



Prima

YANCHENG PRIMA AUTOMOTIVE Co.,LTD
江苏盐城阜宁吴滩工业园
盐城普尔玛汽车配件有限公司

江苏昆山办公室：

江苏省昆山市玉山镇白马泾路52号楼808室

销售部门
E-mail:sales@scharf.cn
Phone:+13732676856

SUZHOU PRIMA AUTOMOTIVE CO.,LTD
苏州普尔玛汽车配件有限公司